


IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants: TANAKA et al

Serial No.: 08/838,910

Filed: April 11, 1997

Title: OXYGEN CONCENTRATION DETECTOR



Examiner: T. Tung

Art Unit: 1744

# 28

4/14/99

11.15

\* \* \* \* \*

April 7, 1999

INFORMATION DISCLOSURE STATEMENT

Honorable Commissioner of  
Patents & Trademarks  
Washington, D. C. 20231  
**BOX AF**

Sir:

Attached is a Form PTO-1449 listing the enclosed documents.

Petition is hereby made under Rule 97(d) for consideration of the following Information Disclosure Statement for which the requisite petition fee under Rule 17(i)(1) is enclosed herewith. If any fee is deemed to be missing or deficient, please charge the deficiency to our Deposit Account No. 03-3975 under Order No. 30954/235648.

I hereby certify that none of the enclosed documents listed on the Form PTO-1449 was cited in a communication from a foreign patent office in a counterpart foreign application or, to my knowledge after making reasonable inquiry, was known to an individual designated in Rule 56(c) more than three months prior to the filing of this Information Disclosure Statement.

04/08/1999 MBLANCO 00000052 08838910

01 FC:126

240.00 DP

RECEIVED

APR 09 1999

GROUP 1700


**TANAKA et al – Appln. No. 08/838,910**

Consideration of the foregoing and enclosures plus the prompt return of a copy of the herewith Form PTO-1449 with the Examiner's initials in the left column per MEP 609 are earnestly solicited.

Respectfully submitted,

PILLSBURY MADISON & SUTRO LLP

By



David S. Taylor  
Reg. No. 39,045  
Tel. (202) 861-3664

TJK/DST  
1100 New York Ave., N.W.  
Ninth Floor, East Tower  
Washington, D. C. 20005-3918  
Fax: (202) 822-0944